



Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A method of providing a sub-page of a website to a requesting client comprising the steps of:

(a) sending to the client, with a copy of a first web page, a plurality of links each of which points to an address within the Internet of a server on which a copy of the sub-page is hosted;

(b) actuating one of the links;

(c) determining, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;

(d) if not, actuating another of the links; and

repeating steps (c) and (d) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;

wherein the links are actuated in a predetermined order established prior to dispatch to the client.

2. (Cancelled).

3. (Original) A method according to claim 1 further comprising the step of displaying an alias for each actuated link at the client.

4. (Original) A method according to claim 3, wherein the alias is an address of a server adapted to translate the alias to an address of a server hosting a copy of the sub-page.

5. (Original) A method according to claim 3 wherein the alias is displayed on a graphical user interface of a program running on the client which is adapted to enable user navigation of the internet.

6. (Original) A method according to claim 3 wherein the alias displayed is the same for each of the links actuated.
8. (Original) A method according to claim 1 wherein the predetermined criterion is whether, within a predetermined period of time, a predetermined step in a process of establishing connection with a secondary server has been reached.
9. (Original) A method according to claim 8 wherein the predetermined step is completion of a connection with a secondary server.
10. (Currently amended) A method of operating a web server to provide a sub-page of a website to a requesting client, comprising the steps of:
  - receiving from a client a request for a first web page;
  - sending to the client, with the first page, a plurality of links each of which points to an address within the Internet of a server hosting a copy of the sub-page, and code which is executable to:
    - (a) actuate one of the links;
    - (b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
    - (c) if not, actuating another of the links; andrepeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;  
wherein the links are actuated in a predetermined order established prior to dispatch from the web server.
11. (Cancelled).
12. (Original) A method according to claim 11 wherein code is additionally sent to the client with the first web page which is operable upon actuation of a link, to cause a browser programme to display an alias of the address of a secondary server to which an actuated link points.

13. (Previously presented) A method according to claim 12, wherein the alias is an address of a server adapted to translate the alias to an address of one of the secondary servers.
14. (Previously presented) A method according to claim 12 wherein the alias displayed is the same for each of the links actuated.
15. (Previously presented) A method according to claim 10 wherein the predetermined criterion is whether, within a predetermined period of time, a predetermined step in a process of establishing connection with a secondary server has been reached.
16. (Original) A method according to claim 15 wherein the predetermined step is completion of a connection with a secondary server.
17. (Original) A method according to claim 11 wherein where the same links are sent to different clients, the predetermined order in which the links are actuated is varied.
18. (Original) A method according to claim 11 wherein the plurality of links sent to a first client machine and the plurality of links sent to a second client machine a different at least in respect of one address of a server hosting the sub-page.
19. (Original) A method according to claim 18 wherein each link in the plurality of links sent to a first client points to an address of a server which is not replicated in any of the plurality of links sent to a second client.
20. (Currently amended) A web server adapted to respond to a request from a client by sending to the client a copy of a first web page and to include with the first web page a plurality of links each of which points to an address within the Internet, each predetermined address being an address of a different secondary server, the web server being adapted to send with the first web page, in response to said request code executable to:
  - (a) actuate one of the links;
  - (b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
  - (c) if not, actuating another of the links; and

repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;  
wherein the links are actuated in a predetermined order established prior to dispatch from the client.

21. (Cancelled).

22. (Currently amended) A web page including a ~~plurality~~ plurality of links each of which points to an address within the Internet of a server on which a copy of a sub-page is hosted, the page including code associated therewith which is actuable to:

- (a) actuate one of the links;
  - (b) determine, on the basis of a predetermined criterion, whether actuation of said one of the links has been successful in obtaining the sub-page;
  - (c) if not, actuating another of the links; and
- repeating steps (b) and (c) until the first to occur of: all of the links have been actuated; and actuation of a link has been successful in accordance with the predetermined criterion;  
wherein the links are actuated in a predetermined order established prior to dispatch from the client.

23. (New) A method according to claim 1, wherein the order is random, but predetermined.

24. (New) A method according to claim 1, wherein the order is selected.

25. (New) A method according to claim 1, wherein each of a plurality of the links to the sub-page is to a different server.

26. (New) A method according to claim 10, wherein the order is random, but predetermined.

27. (New) A method according to claim 10, wherein the order is selected.

28. (New) A method according to claim 10, wherein each of a plurality of the links to the sub-page is to a different server.
29. (New) A web server according to claim 20, wherein the order is random, but predetermined.
30. (New) A web server according to claim 20, wherein the order is selected.
31. (New) A web server according to claim 22, wherein the order is random, but predetermined.
32. (New) A web server according to claim 22, wherein the order is selected.
33. (New) A web server according to claim 22, wherein each of a plurality of the links to the sub-page is to a different server.